



## Shanghai Burken Trading Co., Ltd.



239/530 CAK/C08W507 Bearing 2D drawings and 3D CAD models

20.866 Inch | 530 Millimeter x 27.953 Inch | 710 Millimeter x 5.354 Inch | 136 Millimeter SKF 239/530 CAK/C08W507 Spherical Roller Bearings

Bearing No. 239/530 CAK/C08W507

Category	Spherical Roller Bearings
Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight	183.7
EAN	7316577650634
Product Group	B04311
Internal Clearance	C0-Medium
Mounting Method	Adapter Mount
Rolling Element	Spherical Roller Bearing
Bore Profile	Tapered
Cage Material	Bronze
Enclosure	Open
Number of Rows of Rollers	Double Row
Relubricatable	Yes
Adapter Part Number - Millimeter	H39/530 (Specify bore)
Withdrawal Sleeve	AH39/530 (Specify bore)
Inch - Metric	Metric
Long Description	530MM Tapered Bore; 710MM Outside Diameter; 136MM Width; C0-Medium Clearance; Adapter Mount; Double Row of Spherical Roller Bearings; Bronze Cage Material; Open Enclosure;



## Shanghai Burken Trading Co., Ltd.

	Relubricatable; Adapter Part
Other Features	Order adapter or withdrawal sleeve or nut separately. Others may be available
Category	Spherical Roller Bearing
UNSPSC	31171510
Harmonized Tariff Code	84823080
Noun	Bearing
Keyword String	Spherical
Manufacturer URL	<a href="http://www.skf.com">http://www.skf.com</a>
Weight / LBS	404.989
d	20.866 Inch   530 Millimeter
D	27.953 Inch   710 Millimeter
B	5.354 Inch   136 Millimeter
bore diameter:	530 mm
maximum rpm:	900 RPM
outside diameter:	710 mm
operating temperature range:	Maximum of +390 ° F
overall width:	136 mm
cage material:	Brass
bore type:	Tapered 1:12
bearing material:	Steel
outer ring type:	Not Split
cage type:	Inner Ring Guided
internal clearance:	C083
precision rating:	Not Rated
closure type:	Open
finish/coating:	Uncoated
lubrication hole type:	Lubrication Groove & Hole
outer ring width:	136 mm
dynamic load capacity:	3200 kN



## Shanghai Burken Trading Co., Ltd.

fillet radius:	4 mm
static load capacity:	6700 kN
series:	239